POLARDOR ENTRANCE SYSTEMS

High Performance Thermal Doors in Steel and Fiberglass

POLLARD
WINDOWS & DOORS
EST 1948

CHOOSE POLARDOR

HIGH PERFORMANCE THERMAL DOORS

First impressions are incredibly important. That's why at Pollard we don't just make great windows, we also make beautiful doors and entrance systems. Our Polardor Insulated Entrance Systems are manufactured with insulated steel or fiberglass doors and offer durability and security. Whether you choose a paintable wood or low maintenance vinyl frame, there is a design to meet your needs. Select from a wide variety of decorative lites with both matching sidelites and transoms. Increase the energy efficiency and enhance the curb appeal of your home with a Polardor Insulated Entrance System.

INDUSTRY LEADING FEATURES ON ALL FIBERGLASS AND STEEL DOOR SYSTEMS



Ultraprime Doors feature a Solid Wood Frame
The insulating properties of wood will add warmth to your home. All wood components are pressure-treated to protect against decay. Also, all frame joints are sealed to resist water penetration and are paint-ready to match your exterior finishes.

Tough Steel Door Skin
Durable 24 gauge steel skin resists warping, swelling or twisting like conventional wood doors. Hot-dipped galvanized steel assures long term protection and an excellent base for finishing.

Liberty Doors Vinyl Clad Frame
Liberty adds the benefit of a tough .065" thick, vinyl clad low maintenance exterior to our solid wood frame. It withstands all types of weather without peeling, flaking, pitting or corroding. Available in Pearl White, Silversand or Autumn Ivory colors. To give it a more traditional look optional brickmold can be purchased.

Solid Wood Lock Block
Each door is equipped with a solid wood lock block to ensure permanent attachment of security hardware.

Weatherstripping
The closed cell weatherstripping used on the Polardor sill resists the absorption of water so that in cold winter months it does not freeze and lose its tight seal. On the remainder of the door frame, a foam compression weatherstrip is used to provide an optimal, secure seal around the perimeter of the door which in winter keeps warm air in and keeps cold air out.

Fiberglass Door Skin
Durable and easy to finish. Available in both smooth skin for painting and wood-grain texture for staining. Dent and warp resistant.

Polyurethane Foam Core
The insulation value is at least six times greater than a solid wood door. With an R value of 12 it is the perfect solution for your home.

Aluminum Sill
Constructed of durable 1/16" aluminum and features raised ribs which allow for good traction. Low profile sill available for greater accessibility. Available in black or standard mill finish.

Sweepless Door
By eliminating the need for a door sweep there is no sweep to tear or adjust.

Water Trap Sill Design
Driving rain is trapped in this unique, fiberglass channel and released to the outside through the weep hole. A weep hole cover helps prevent insects from entering below the sill.

Fiberglass Subsill
The durable 3/32" fiberglass subsill resists rotting and cracking. The continuous sill running under the jambs prevents jamb rot.

TABLE OF CONTENTS

Adelaide	Patina	**20-21**
Artisan	Patina	**24-25**
Auburn	Patina	**35**
Canterbury	Patina	**18-19**
Everton	Patina and Zinc	**36-37**
Granville	Patina	**11**
Harlow	Patina	**26-27**
Hollister	Patina	**16-17**
Lexington	Patina	**32-33**
Madison	Castlite Glass	**29**
Modena	Patina and Zinc	**14-15**
NEW **Narrows**	Patina	**10**
Niagara	Brass, Patina and Zinc	**28**
NEW **Perimeter**	Sandblast	**8-9**
Pinehurst	Forged Iron	**38**
Riverton	V-Groove	**40**
Royston	Patina	**34**
Star	Brass and Zinc	**41**
Sullivan	Sandblast	**12**
Verona	Forged Iron	**39**
Waterton	Patina	**13**
Privacy Guide		**4-5**
Specifications		**6-7**
Solution Series		**42-45**
Retro Series		**46-49**
Internal Blinds	Raise, Lower and Tilt	**50-51**
Venting		**52-53**
Clear One Lites		**54**
Internal Grids		**55**
Mix and Match		**56**
Frame Profiles		**57**
Size Specifications		**58**

PRIVACY GUIDE

Trimlite offers an extensive line of designs to choose from and the degree of openness or obscurity varies considerably. To help your decision making process we have photographed each design under controlled circumstances so that you can see the difference. With each picture, we have included a number which represents the 'Privacy Level' for that particular design. This number will be referenced on the individual product page as well. Note: this 'guide' is subjective. It should only be used when comparing Trimlite designs.

B : BRASS FI : FORGED IRON P : PATINA Z : ZINC

Clear glass 0

Adelaide P20 | P 8

Artisan P24 | P 7

Auburn P35 | P 7

Canterbury P18 | P 8

Everton P36 | P.Z 7

Granville P11 | P 7

Harlow P26 | P 8

Hollister P16 | P 7

Lexington P32 | P 5

Madison P29 8

Modena P14 | P.Z 7




PRIVACY 1 2 3 4 5 6 7 8 9 10

COMPLETELY CLEAR
Objects can be clearly seen through the glass from the opposite side.

DIFFUSED/DISTORTED
Objects are distorted, but can still be detected from the opposite side.

COMPLETELY OPAQUE
Only light will travel through from the opposite side.


Narrows P10 | P 8

Niagara P28 | B.P.Z 7

Perimeter P8 8

Pinehurst P38 | FI 9

Riverton P40 8

Royston P34 | P 8

Star P41 | B.Z 4

Sullivan P12 8

Verona P39 | FI 9

Waterton P13 | P 5

Please Note: Due to ongoing product development Trimlite reserves the right to make changes in design, materials and specifications without notice. Please contact your dealer for more information.

Doorlites featured in either smooth (white), woodgrain (stained), or fir (stained) fiberglass doors. Some exceptions apply. Door slabs supplied by Plastpro, inc., a leading manufacturer of fiberglass door products. Contact your dealer for a complete list of Plastpro products available in your area.

plastpro™
KNOW THE BEAUTY OF INNOVATION

SPECIFICATIONS

CONSTRUCTION

- Handcrafted, our decorative glass panels stay true to their stained glass roots.
- Our selection of premium art glass and bevels, which makes our designs come to life, are hand cut and fitted. Careful consideration is given to choosing textures, complementing elements are crucial to a design's given appeal.
- Using solid metals, where all of the joints are soldered by hand, ensures the panels will be strong enough to withstand daily use.
- Once assembled, the panel undergoes a thorough cleaning and inspection process. This attention to detail is our assurance of quality to you.

GLASS VARIATION

Decorative pattern glass is handmade. Through this process, slight imperfections or discolourations are inherent characteristics of all handcrafted glass. Bubbles or seeds, slight surface flaws and subtle variations in textures vary depending on the pattern. Some glass patterns, like Swirl and Drawn, are more likely to have these inclusions. They are not considered defects.

Swirl Glass Detail

Drawn Glass Detail

CAMING OPTIONS

Hand soldered metals in 3 finishes. See individual product pages for availability.

Brass Caming
Subtle gloss finish that defines luxury and style.

Patina Caming
Black satin finish offers a rustic or antique look to your home.

Zinc Caming
Brushed chrome appearance brings a contemporary look to your entrance.

INSULATING SYSTEM

All Trimlite Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

PERFORMANCE FEATURES

- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicone Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your piece of mind
- Low E* with Argon Gas for your comfort

TrueWARM® spacers

Super Spacer®



All Trimlite Doorlites are certified by the National Accreditation and Management Institute, Inc. (NAMI).

All Trimlite products are energy tested. Consult your dealer for specific energy ratings.

Warranties: Our products are covered by separate limited warranties. Please contact your dealer for more information.

SuperSpacer®, TrueWarm® and Cushion Edge™ are all registered trademarks of QUANNEX BUILDING PRODUCTS.

*Our doorlites are available with Low E and Argon. However, some exceptions may apply. Contact your dealer for more details.

Perimeter

Glass Size: 2264
Door: Fiberglass DRSOO
(shown with custom
transom and sidelite)

Perimeter	0836	2236	0848	2248	0764	2064	2264	2280	2203	2208	2215	2515	2217
Sandblast	■	■	■	■	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

2203


0764 / 2215** / 0764

2217 (x3)

0848 / 2248 / 0848

0836 / 2236

2208


0880 / 2280 / 0880 (8ft entry)

0764 / 2515*



Sandblast

PRIVACY 9

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Craftsman 6 Panel fiberglass. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 Panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8

Narrows

Glass Size: 2236
Door: Fiberglass DRS2B

Narrows	0836	2236	0848	2248	0764	2264	2215	2515
Patina	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

0848 / 2248 / 0848

0836 / 2236 / 0836



Hammered
Luminating Reed
Clear Bevels
3/16" Caming

Patina

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

2515**



0764 / 2264 / 0764

2215*

** Shown in the Plastpro Craftsman 6 Panel fiberglass. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

O848 / 2248 / O848

O836 / 2236 / O836



O764 / 2264 / O764 with Transom



O764 / 2215* / O764

Glass Size: 2264
Door: Fiberglass DRSOO

Granville	0836	2236	0848	2248	0764	2264	2215
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.



Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

Sullivan

Glass Size: 2264
Door: Fiberglass DRGOO

O836 / 2236 / O836

O848 / 2248 / O848

O764 / 2064 / O764

Sullivan	0836	2236	0848	2248	0764	2064	2264
Sandblast	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.



Sandblast

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

0848 / 2248 / 0848

0836 / 2236 / 0836

0764 / 2208 / 0764

Glass Size: 2264
Door: Fiberglass DRSOO

Waterton	0836	2236	0848	2248	0764	2264	2208
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

PRIVACY 5

● Privacy Guide. See pages 4 and 5.

† Swirl glass often contains small bubbles/surface imperfections. They are not considered defects. See page 6 for more information.



Patina

Modena

Modena	0836	2236	0848	2248	0764	2264	2215	2515
Patina	□	□	□	□	□	□	□	□
Zinc	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Glass size: O764 / 2264 Zinc
Door: Fiberglass DRSOO
Sidelite: Fiberglass SLSOO

2236 / 2236 Zinc



O764 / 2215 Patina (x3)

2515* / O764 Patina

O848 / 2248 / O848 with Transom Zinc



O764 / 2215** / O764 Patina



Shown in Patina

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.



Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

Hollister

Hollister	0836	2236	0848	2248	0764	2264	2215
Patina	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Glass size: 2264
Door: Fiberglass DRSOO



O764 / 2264 / O764

2215**



O764 / 2215* / O764

O836 / 2236 / O836



Sidelites are reversible. Simply rotate the insert to create the look that works for you.



Patina

O848 / 2248 / O848 with Transom

* Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

** Shown in Plastpro Fir Shaker 3 panel fibreglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

Canterbury

Canterbury	0836	2236	0848	2248	0764	2264	1842OV	2210C
Patina	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Glass size: O764 / 2264 / O764 with Transom
Door: Fiberglass DRG4O
Sidelite: Fiberglass SLGOO

0836 / 2236 / 0836

2210C

0848/ 2248 / 0848

0764 / 1842OV / 0764



Patina

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Adelaide

Adelaide	0836	2236	0848	2248	0764	2264	2215	2515	2210C
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Glass size: 2248
Door: Fiberglass DRS49

O836 / 2236 / O836

2215**

2515* / O764

O848 / 2248 / O848

2210C

O764 / 2264 / O764 with Transom



Patina

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown as The Plastpro Fir Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

Glass: Adelaide 2248
Door: Fiberglass DRS29

Glass: Sullivan 2264
Door: Fiberglass DRSOO

Artisan

Glass size: 2264 / 2264
Door: Fiberglass DRSOO

Artisan	0836	2236	0848	2248	0764	2064	2264	0880	2280	2215	2515
Patina	■	■	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

0836 / 2236

0764 / 2215** / 0764

2515* / 0764

0848 / 2248 / 0848 with Transom

0880 / 2280 / 0880 (8ft entry)



Patina

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

Harlow

O836 / 2236 / O836

2215**

O764 / 2515* / O764

O764 / 2264 / O764 with Transom

2248 / 2248



Patina

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Harlow

Glass size: O764 / 2264 / O764
Door: Fiberglass DRSOO
Sidelite: Fiberglass SLSOO

Harlow	0836	2236	0848	2248	0764	2264	2215	2515
Patina	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Niagara

Glass size: 836/2236/836 Patina
Door: Fiberglass DRS6O
(shown with custom Gluechip transom)

O718 Zinc

O764 / 1842OV / O764 with Transom Zinc

221OSB Patina

O836 / 2236 Brass



Shown in Patina

	0718	0836	2236	0848	2248	0764	1842OV	2210SB
Brass	□	□	□	□	□	□	□	□
Patina	■	■	■	■	■	■	■	■
Zinc	□	□	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

O836 / 2236 / O836

O848 / 2248 / O848

O764 / 2264 / O764

Glass size: 2264
Door: Fiberglass DRSOO

Madison	0836	2236	0848	2248	0764	2264
Castlite	□	□	□	□	□	□

NOTE: Transom and custom sidelites are not available for this design.

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

Note: Texture is on the outside of the unit.

Glass: Artisan O764 / 2264 / O764
Door: DRSOO
Sidelite: SLSOO

▲ Glass: Everton O764 / 842RD / O764 Patina
Door: Steel, not available in fiberglass
Sidelite: Steel, not available in fiberglass



Glass: Harlow O848 / 2248 / O848
Door: Fiberglass DRS49
Sidelite: Fiberglass SLS49

Glass: Modena Patina 2215
Door: Fiberglass DRF3F
Sidelites: Modena 764

Lexington

Glass size: 2248 / 2248
Door: Fiberglass DRS49

Lexington	0836	2236	0848	2248	0764	2264	2208	2215	2515
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

2208 / 0764



2264



2248 / 0848

2215**

0836 / 2236 / 0836

0764 / 2515* / 0764 with Transom



Patina

PRIVACY 5

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

† Drawn glass often contains surface imperfections. They are not considered defects. Seee page 6 for more information.

Royston

Glass size: 0764 / 2264 / 0764
with Transom
Door: Fiberglass DRG40
Sidelite: Fiberglass SLG60

0764 / 2515*

2208

0836 / 2236

2215**

0848 / 2248 / 0848

PRIVACY 8

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

Royston	0836	2236	0848	2248	0764	2264	2208	2215	2515
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.



Patina

2515*



2210C



O764 / 2215** / O764

O836 / 2236 / O836

O764 / 2264 / O764

O848 / 2248 / O848 with Transom

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel. Optional matching Dentil Shelf available.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8

Auburn	0836	2236	0848	2248	0764	2264	2215	2515	2210C
Patina	■	■	■	■	■	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.



Patina

Everton

Everton	0836	2236	0848	2248	0764	2264	842RD	1842OV
Patina	■	■	■	■	■	■	■	■
Zinc	□	□	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Glass size: O764 / 1842OV / O764 Patina
Door: Fiberglass DRS29
Sidelite: Fiberglass SLSOO

O764 / O842RD* / O764 Patina

O848 / 2248 / O848 Zinc

O836 / 2236 / O836 Patina

O764 / 2264 / O764 with Transom Zinc



Shown in Patina

PRIVACY 7

● Privacy Guide. See pages 4 and 5.

*Shown in a steel door, Not available in fiberglass

Pinehurst

Glass size: 2264
Door: Fiberglass DRG4O

O764 / 2O64 / O764 with Transom

O848 / 2248 / O848

Pinehurst	0848	2248	0764	2064	2264
Forged Iron	■	■	■	■	■

NOTE: Transom and custom sidelites are available.
Contact your local dealer for more information.

PRIVACY 9

● Privacy Guide. See pages 4 and 5.



Forged Iron

Glass size: 2264 / 2264
Door: Fiberglass DRSOO

Mainlites and Sidelites are reversible. Simply rotate the insert to create the look that works for you.



Forged Iron

0848 / 2248

2264 / 0764

2248 / 2248 with Transom

PRIVACY 9

● Privacy Guide. See pages 4 and 5.

Verona	0848	2248	0764	2264
Forged Iron	■	■	■	■

NOTE: Transom and custom sidelites are available. Contact your local dealer for more information.

Riverton

Glass size: 0764 / 2515* / 0764
Door: Fiberglass DRG6C w/ Dentil shelf
Sidelite: Fiberglass SLGOO

PRIVACY 8

● Privacy Guide.
See pages 4 and 5.



2215* | 2236 / 0836 | 2064 or 2264 | 2248 / 0848

Riverton	0836	2236	0848	2248	0764	2064	2264	2215	2515
V-Groove	□	□	□	□	□	□	□	□	□

NOTE: Transom and custom sidelites are not available for this design.

* Shown in the Plastpro Shaker three panel fiberglass door. Available in 2/8, 2/10 and 3/0 x 6/8.

▲ Glass size: 0848 / 2248 Zinc
Door: Fiberglass DRS49
Sidelite: Fiberglass SLS49

0836 / 2236 / 0836 with Transom Brass

0764 / 1842OV / 0764 Zinc

2248 Brass



Shown in Brass

PRIVACY 4

● Privacy Guide. See pages 4 and 5.

Star	0836	2236	0848	2248	0764	1842OV
Brass	□	□	□	□	□	□
Zinc	□	□	□	□	□	□

NOTE: Transom and custom sidelites are available.
Contact your local dealer for more information.

AT THE INTERSECTION OF FORM AND FUNCTION

Thoughtful, clean lines, simple design, and peace of mind. These guiding principles inspired us to create the Solution Series. The Solution Series is perfect when you want the glass and the door to be the star, while the frame blends seamlessly into the background.

The Solution Series design eliminates any screw holes, so you don't have to worry about gaps or screw plugs. Our patented* technology uses a compression seal and interlocking joints to adhere to your door, creating a powerful bond. The frame is built to resist warping and melting in high heat areas so it can be used with any color finish. Our textured frame comes in two colors to match any stain or paint.

Glass Size: 2208 Rooftop
Door: DRSOO

*US Patent Number 9, 617, 779

PRODUCT FEATURES

- Available in White or Tan
- Shaker Style Low Profile
- No Screws, Plugs, or Holes
- Textured Vertical Grain Pattern
- Patented Frame System
- Connects Modern, Craftsman, or Mid-Century Architectural Styles
- Available in 10 sizes -- 0764, 0806, 0808, 0836, 2203, 2208, 2210, 2217, 2215, and 2236. 2215 size also available with 3-Lite and 6-Lite SDL Bars.

FRAME DETAIL

Side Profile

Front Profile

PATENTED FRAME DESIGN

Solution Series - Glass Options

Clear 1

Chords 8

Diffused White Laminate 10
(Featuring Laminate Safety Glass)

Mistlite 8

Narrow Reed 8

Rooftop 8

Sable 8

Sandblast 9

Screen Dot 7

Glass can be specified with Low-E to improve energy efficiency. Some exceptions may apply. Contact your dealer for more information.

**Select from one of our designs,
or create your own.**

6'8" and 7'0" Designs


0764


0806


0808

2203

2208 or 2210

2215 or 2217

2215
3-Lite

2215
6-Lite

0836 (x2)

2236

8'0" Designs

2215*
4-Lite

2208
6-Lite


0806
6-Lite

2203
7-Lite


0808
5-Lite

Trimlite offers additional designs in 6'8", 7'0", and 8'0" designs. Contact your dealer for more information.

Retro Series

BALANCING PRIVACY AND DESIGN

Retro is defined as remaking the past. Our Retro Series is an extension of our 1-Lite French Doors that have been remade specifically for our Exterior Doors. We selected our glass designs that balance privacy and design, as we believe your doorlite should always be elegant and safe.

Our glass designs pair perfectly with our standard frame options. And, like decorative designs, these come standard with Low-E and Argon for additional energy efficiency. Although these products may seem new, they are remade for you.

Glass: 2264 Rooftop
Door: Fiberglass DRSOO

Retro Series - Product Features



PRODUCT FEATURES

- Frames Available in White or Tan
- Works with any of our Standard Frame Options to fit your home style
- 8 unique glass designs
- 10 Frame Sizes
- Glass patterns suit any architectural style
- Makes a statement from any door opening
- Glass designs offer a variety of privacy settings to suit your needs

Glass: 0764 Rooftop
Door: Fiberglass DRSOO

Retro Series - Glass Options

Glass Size 2215 Sandblast
Door: DRSOO

Chords 8

Diffused White Laminate 10
Featuring Laminated Safety Glass

Mistlite 8

Narrow Reed 8

Rooftop 8

Sable 8

Sandblast 9

Screen Dot 9

Retro Series - Glass Size Options

0836

2236

0848

2248

0764

2064

2264

2208

**2215


*2515

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

Internal Blinds Between Glass

Glass size: 2280 / 2280
Door: Fiberglass DRSOO

MAINLITES

2036 or 2236



2248



2064 or 2264

2080 or 2280 (8ft entry)

SIDELITES

0836



0848



0764 or 0864

0880



PRIVACY 0 - 10

BENEFITS

- Blinds between glass require no dusting
- No exposed cords
- One control system provides raise/lower AND tilt options in one easy operator design
- Available in Low E & Clear Glass*

*Contact your local dealer for complete list of sizes and glass options available in your area.

Venting Doorlites - “EZ” LIFT

Our EZ Lift vent incorporates a spring assist, making it very easy to operate. No more bending down. Simply unlock, and adjust.

- All precision injection molded parts
- Spring assist for easy operation
- Maintenance free
- Cam lock for your piece of mind
- Removable screen
- Full half vent for maximum air flow

Locking Latch

Window Handle for Easy Operation

2248

2064

2264

Note: “EZ” Vent only available in sizes shown.

HALF VENT

2036 or 2236 Clear 1

2236 Internal Grid* 12L 1

2236* Rain 9

- All precision injection molded parts
- Ergonomic handle design combines functionality with a modern look
- Reinforced latch system allows for travel free operation
- Removable screen

*Note: Contact your dealer for a complete list of grid and glass options available in your area.

VENTING EXTENSIONS

Now you take our standard half vent and make it into a full view insert by adding our unique Venting Extension.

2064 or 2264 Clear 1

- Extensions interlocks with our 2036 or 2236 creating a full view doorlite
- Venting in middle of door allows for easier operation
- No more damaged screens from pets

CLEAR ONE LITE

0718

0836

2236

0848

2248

0764

2064

2264

2208

2215**

2515*

2210SB

0880 (8ft)

2080 (8ft)

2280 (8ft)

Want privacy in your doorlite... Consider these obscure glass options

NOTE: Obscure options are special order. Please contact your dealer for more information.

Cross Reed 8

Delta Frost 9

Glue Chip 8

Pinhead (P516) 9

Rain 9

Travertine 8

TRADITIONAL

2236 9L

0836 3L

2236 9L

0848 4L

2248 12L

0764 5L

2064 15L

2264 15L

2215** 3L

2215** 6L

2515* 3L

2515* 6L

221OSB 4L

* Shown in the Plastpro Craftsman 6 panel fiberglass door. Only available in 2/10 & 3/0 x 6/8. Not available in steel.

** Shown in the Plastpro Shaker 3 panel fiberglass door. Available in 2/8, 2/10 & 3/0 x 6/8.

PRAIRIE

2236 9L

0836 6L

2236 9L

0848 6L

2248 9L

0764 6L

2064 9L

2264 9L

STANDARD GRIDS

Indicate bar preference when ordering.

5/8" x 1/4"
Flat Bar White

5/8" x 5/16"
Contour Bar White
(Georgian Bar)

SPECIAL ORDER GRIDS

Additional grid options available in various colours, sizes and patterns, contact your dealer for more information

764 / 2064 or 2264 / 764 White Internal Grid

Need more performance in your doorlite... Consider

Cardinal LoÉ²-272 Glass

Available in the clear and white internal grid options, the insulating value of Cardinal's **LoÉ²-272** patented coating is nearly double that of an ordinary insulated glass unit. In winter, **LoÉ²-272** reflects heat back into the room. In summer, it rejects the sun's heat and damaging UV rays. The coating is virtually invisible to the eye yet blocks 84% of the sun's harmful ultraviolet rays. In fact, **LoÉ²-272** is the clearest, highest performing glass you can buy.

Some items are special order. For a complete list of sizes, glass and grid options available in your area, contact your dealer for more information.

Mix and Match

Design your entrance using the following suggestions as your guide. Contact your dealer for more information.

DOOR	SIDELITE OPTIONS	DOOR	SIDELITE OPTIONS
0718	 0836 0764	2080 or 2280	0880
0836x2	 0836 0764	2208	 0836 0764
 2036 or 2236	 0836 0764	2215	0764
0848x2	 0848 0764	2515	0764
2248	 0848 0764	0842RD	0764
 0764x2	0764	1842OV	0764
 2064 or 2264	0764	2210C	0836 0764
0880x2	 0880	2210SB	0836 0764

Indicates an 8-foot High Entrance **RD**: Round Top **OV**: Oval **SB**: Sunburst Top **C**: Camber Top

FRAME OPTIONS

Our complete series of "Elite" frames, whether injection moulded or extruded PVC, all have a matching woodgrain with a low profile.

Our Colonial "Plus" PVC frame profile is raised with a smooth (white) or woodgrain (tan) surface. It also comes with the continuous screw strip cover feature.

Our Mid-Century Modern (MCM) frame profile features a clean, contemporary look. It also comes with the continuous screw strip cover feature.

For a more detailed breakdown of our different frame options, please refer to the following:



ELITE WHITE FRAME - This is our Standard Maintenance Free White Frame (Does not require painting). Specifications as follows:

Construction - Injected Moulded Low Profile
Surface - Woodgrain
Material - White Polypropylene or White PVC
Glazing Material - White foam adhesive on both channels (frame to glass & frame to door) or rubber gasket (PVC)
Plugs - Used to cover screw holes
NOTE: Oval (2057 OV & 1842 OV) and 2214 frame are raised.

ELITE TAN FRAME - This is our Standard Frame for Painting or Staining. Specifications as follows:

Construction - Injected Moulded Low Profile
Surface - Woodgrain
Material - TAN PC/ABS or Tan PVC
Glazing Material - Foam tape on both channels (black two sided tape frame to glass & white one sided tape frame to door) or rubber gasket (PVC)
Plugs - Used to cover screw holes
NOTE: Oval (2057 OV & 1842 OV) and 2214 frame are raised.

COLONIAL "PLUS" PVC FRAME - This is our Raised Profile PVC Frame Specifications as follows:

Construction - Extruded Raised Profile w/ mechanical joints (glued)
Surface - Smooth (White) or Woodgrain (Tan)
Material - White PVC (does not require painting) or Tan PVC (for staining or painting)
Glazing Material - Co-Extruded colour matched rubber gasket on both channels (frame to glass & frame to door)
Strips - Continuous strips to cover screw holes
NOTE: Not available in round tops and ovals.



MCM PVC FRAME - This is our Flat Profile PVC Frame Specifications as follows:

Construction - Extruded Flat Profile w/ mechanical joints (glued)
Surface - Smooth (White)
Material - White PVC (does not require painting)
Glazing Material - Co-Extruded colour matched rubber gasket on both channels (frame to glass & frame to door)
Strips - Continuous strips to cover screw holes
NOTE: Not available in round tops and ovals.

SOLUTION SERIES FRAME - This is our Flat Profile ABS Frame Specifications as follows:

Construction - Injected Moulded Flat Low Profile
Surface - Woodgrain
Material - White ABS (for painting) or Tan ABC (for staining)
Glazing Material- Foam tape on both channels (black two sided tape frame to glass & white one sided tape frame to door)
Screwless Frame - No screws, no screw plugs, no screw strips
Sizes - 0764, 0806, 0808, 0836, 2203, 2208, 2210, 2217, 2236, 2215 (1-Lite, 3-Lite, & 6-Lite) Only.

Size Specifications

Please refer to the following guide to confirm what sizes are available in our different product choices. Contact your dealer for product availability in your area.

	NAME	PAGE	SIZES																												
			0718	0836	2236	0848	2248	0764	2064	2264	2203	0806	0808	2215 (3-lite)	2215 (6-lite)	0880 (8ft)	2280 (8ft)	2208	2210	2217	2215	2515	0842RD	1842OV	2210SB	2210C	Transom	Brass	Patina	Zinc	Forged Iron	Privacy
DECO SERIES	Adelaide	20		■	■	■	■	■		■											■	■				■	■		■			8
	Artisan	24		■	■	■	■	■	■	■						■	■				■	■					■		■			7
	Auburn	35		■	■	■	■	■		■											■	■				■	■		■			7
	Canterbury	18		■	■	■	■	■		■														■		■	■		■			8
	Everton	36		■	■	■	■	■		■													■	■			■		■	■		7
	Granville	11		■	■	■	■	■		■											■						■		■			7
	Harlow	26		■	■	■	■	■		■											■	■					■		■			8
	Hollister	16		■	■	■	■	■		■											■						■		■			7
	Lexington	32		■	■	■	■	■		■								■			■	■					■		■			5
	Madison	29		■	■	■	■	■		■																						8
	Modena	14		■	■	■	■	■		■											■	■					■		■	■		7
	Narrows	10		■	■	■	■	■		■											■	■					■		■			8
	Niagara	28	■	■	■	■	■	■																■	■		■	■	■	■	■		7
	Perimeter	8		■	■	■	■	■	■	■	■							■		■	■						■						8
	Pinehurst	38				■	■	■	■	■																	■					■	9
	Riverton	40		■	■	■	■	■	■	■											■	■										8
	Royston	34		■	■	■	■	■		■								■			■	■					■		■			8
	Star	41		■	■	■	■	■																■			■	■		■			4
	Sullivan	12		■	■	■	■	■	■	■																	■						8
	Verona	39				■	■	■		■																	■				■		9
	Waterton	13		■	■	■	■	■		■								■									■		■				5
	West Coast	*		■	■	■	■	■																	■		■			■			6
SOLUTION / RETRO SERIES	Chords	44,48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						8
	Diffused White Laminate	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						10
	Mistlite	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						8
	Narrow Reed	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						8
	Rooftop	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						8
	Sandblast	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						9
	Sable	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						8
	Screen Dot	44, 48		■	■	■	■	■	■	■	■	■	■	■	■			■	■	■	■						■						9

*West Coast: Not shown in brochure but available for viewing on our website. Contact your dealer for availability.

Note: Due to ongoing product development we reserve the right to make changes in design, materials and specifications without notice.

Transoms: Are available as special order for Deco Series. Exceptions Noted. Please contact your dealer for more information.

Available for all Solutions/Retro Series glass.

PERFORMANCE YOU CAN COUNT ON

		1/4 Lite U/SHGC/ER	1/2 Lite U/SHGC/ER	3/4 Lite U/SHGC/ER	Full Lite U/SHGC/ER	ENERGY STAR® Canada 1/4 / 1/2 / 3/4 / Full	ENERGY STAR® U.S.A. 1/4 / 1/2 / 3/4 / Full
LIBERTY/ULTRAPRIME with Steel Door	Polardor Single/Double without Grills Dual Glazed Standard Low E	0.16/0.07/23	0.19/0.12/22	0.20/0.16/23	0.23/0.22/23	ALL / ALL / ALL / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed Standard Low E	0.16/0.06/23	0.19/0.11/22	0.20/0.15/23	0.23/0.19/21	ALL / ALL / ALL / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.05/22	0.18/0.10/22	0.20/0.13/22	0.22/0.17/21	ALL / ALL / ALL / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.16/0.05/22	0.18/0.08/21	0.20/0.11/20	0.22/0.15/20	ALL / ALL / ALL / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double with Decorative Lite Triple Glazed Clear (leaded)	0.18/0.08/21	0.22/0.15/20	0.25/0.20/19	0.28/0.27/20	ALL / 1,2 / 1,2 /1	ALL / ALL / ALL / N,NC
	Polardor Single/Double No Glazing	0.13/0.01/23	N/A	N/A	N/A	ALL / N/A / N/A / N/A	ALL / N/A / N/A / N/A
LIBERTY/ULTRAPRIME with Fiberglass Door	Polardor Single/Double without Grills Dual Glazed Standard Low E	0.18/0.07/21	0.20/0.13/22	0.22/0.17/21	0.24/0.22/22	ALL / ALL / 1,2 / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed Standard Low E	0.18/0.06/20	0.20/0.11/20	0.22/0.15/20	0.24/0.19/20	ALL / ALL / 1,2 / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double without Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.05/20	0.20/0.10/20	0.22/0.13/19	0.24/0.17/19	ALL / ALL / 1,2 / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double with Grills Dual Glazed SB-10 Upgrade Low E	0.18/0.05/20	0.20/0.09/19	0.22/0.11/18	0.24/0.15/18	ALL / ALL / 1,2 / 1,2	ALL / ALL / ALL / ALL
	Polardor Single/Double without Grills Triple Glazed Clear (leaded)	0.19/0.08/20	0.22/0.15/20	0.25/0.20/19	0.28/0.27/20	ALL / 1,2 / 1,2 /1	ALL / ALL / ALL / N,NC
	Polardor Single/Double No Glazing	0.15/0.01/21	N/A	N/A	N/A	ALL / N/A / N/A / N/A	ALL / N/A / N/A / N/A

U – U-Factor. **SHGC** – Solar Heat Gain Coefficient. **ER** – Energy Rating.
The door performance data shown is for reference only and is limited. The actual rating can vary depending on options chosen. Confirm ratings for specific products with your Pollard sales representative.
Pollard Windows Inc. upholds a continuous product development process and reserves the right to make improvements and/or changes to designs, materials and specifications without notice.

Canadian ENERGY STAR® Requirements for Doors (including sidelites)

Zone	Heating Degree Day Range	COMPLIANCE PATHS: Energy Rating (ER) Minimum ER (unitless) Maximum U-Factor	or	U-Factor Maximum U-Factor	U-Factor Minimum ER (unitless)
1	≤3500	25	or	1.60 (0.28)	N/A
2	>3500 to <6000	29	or	1.40 (0.25)	N/A
3	≤6000	34	or	1.20 (0.21)	N/A

ENERGY STAR is a registered trademark of the U.S. EPA and is administered in Canada by Natural Resources Canada.

U.S.A. ENERGY STAR® Qualification Criteria for Residential Doors

GLAZING LEVEL	U-FACTOR	SHGC
Opaque	≤0.17	No Rating
≤1/2 Lite	≤0.25	≤0.25
>1/2 Lite, Northern and North-Central	≤0.30	≤0.40
>1/2 Lite, Southern and South-Central	≤0.30	≤0.25

ENERGY STAR is a registered trademark of the U.S. Federal Government.

**Please visit our website at www.pollardwindows.com for the latest ENERGY STAR® information.*

All of our products are designed in our own in-house Research and Development department. Product prototypes are developed and modified as they go through a vigorous testing regime in our own testing machines. Once the product meets our tough standards, products are then sent out for independent testing. We are continuously looking at ways to improve the quality of our products for our customers.

CHOOSE FROM A LARGE SELECTION OF DOOR STYLES

Door Slab Designs – Smooth Steel, Smooth Fiberglass or Textured Fiberglass

A, B and H door slabs are available in an 8 foot height in both smooth steel, smooth fiberglass and fiberglass wood grain finish. E door slabs are used only with door lites.)









When ordering doors:
Hinging of door is always determined from outside.

*Available in 8 Foot Height
** Not available in fiberglass

DOOR AND SIDELITE SIZING

LIBERTY DOOR SYSTEMS – VINYL CLAD WOOD FRAME

Liberty Doors with Advantage or Liberty Sidelites

32" DOOR

RSO	34 11/16	44 7/32	48 5/32	51 1/2	53 3/4	61 5/8	68 5/16
OSM	33 15/16	43 15/32	47 13/32	50 3/4	53	60 7/8	67 9/16
Standard 83 7/32 / 82 15/32	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High 99 7/32 / 98 15/32	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*



34" DOOR

RSO	36 11/16	46 7/32	50 5/32	53 1/2	55 3/4	63 5/8	70 5/16
OSM	35 15/16	45 15/32	49 13/32	52 3/4	55	62 7/8	69 9/16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

36" DOOR

RSO	38 11/16	48 7/32	52 5/32	55 1/2	57 3/4	65 5/8	72 5/16
OSM	37 15/16	47 15/32	51 13/32	54 3/4	57	64 7/8	71 9/16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

42" DOOR

RSO	44 11/16	54 7/32	58 5/32	61 1/2	63 3/4	71 5/8	78 5/16
OSM	43 15/16	53 15/32	57 13/32	60 3/4	63	70 7/8	77 9/16
Standard	Single	+LSL/ASL1080	+LSL/ASL1480	+LSL/ASL1680	+2 LSL/ASL1080	+2 LSL/ASL1480	+2 LSL/ASL1680
8ft. High	Single	+LSL/ASL1096	+LSL/ASL1496	+LSL/ASL1696*	+2 LSL/ASL1096	+2 LSL/ASL1496	+2 LSL/ASL1696*

Liberty Double Doors/Terrace Doors with Advantage or Liberty Sidelites

32" DOOR

RSO	67 5/8	86 11/16	94 9/16	101 1/4
OSM	66 7/8	85 15/16	93 13/16	100 1/2
Standard 83 7/32 / 82 15/32	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680
8ft. High 99 7/32 / 98 5/32	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *



34" DOOR

RSO	71 5/8	90 11/16	98 9/16	105 1/4
OSM	70 7/8	89 15/16	97 13/16	104 1/2
Standard	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680
8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *

36" DOOR

RSO	75 5/8	94 11/16	102 9/16	109 1/4
OSM	74 7/8	93 15/16	101 13/16	108 1/2
Standard	Double/Terrace	+2 ASL 1080	+2 ASL 1480	+2 ASL 1680
8ft. High	Double/Terrace	+2 ASL 1096	+2 ASL 1496	+2 ASL 1696 *

Leaded transoms can be custom ordered to match your door and sidelites. Ask your Pollard Windows Sales Representative for more information.

ULTRAPRIME DOOR SYSTEMS – WOOD FRAME

Ultraprime Doors with Sidelites

32" DOOR

RSO	34 1/16	42 15/16	46 15/16	49 3/32	51 13/16	59 13/16	64 1/8
OSM	33 5/16	42 3/16	46 3/16	48 11/32	51 1/16	59 1/16	63 3/8
Standard 82 29/32 / 82 5/32	Single	USL 1080	USL 1480	USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High 98 29/32 / 98 5/32	Single	USL 1096	USL 1496	USL 1696 *	+2 USL1096	+2 USL 1496	+2 USL 1696 *



34" DOOR

RSO	36 1/16	44 15/16	48 15/16	51 3/32	53 13/16	61 13/16	66 1/8
OSM	35 5/16	44 3/16	48 3/16	50 11/32	53 1/16	61 1/16	65 3/8
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 1696 *	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

36" DOOR

RSO	38 1/16	46 15/16	50 15/16	53 3/32	55 13/16	63 13/16	68 1/8
OSM	37 5/16	46 3/16	50 3/16	52 11/32	55 1/16	63 1/16	67 3/8
Standard	Single	+USL 1080	+USL 1480	+USL 1680	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Single	+USL 1096	+USL 1496	+USL 1696 *	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

Ultraprime Double Doors

32" DOOR

RSO	67	84 3/4	92 3/4	97 1/16
OSM	66 1/4	84	92	96 5/16
Standard 82 29/32 / 82 5/32	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High 98 29/32 / 98 5/32	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *



34" DOOR

RSO	71	88 3/4	96 3/4	101 1/16
OSM	70 1/4	88	96	100 5/16
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

36" DOOR

RSO	75	92 3/4	100 3/4	105 1/16
OSM	74 1/4	92	100	104 5/16
Standard	Double	+2 USL 1080	+2 USL 1480	+2 USL 1680
8ft. High	Double	+2 USL 1096	+2 USL 1496	+2 USL 1696 *

* 8ft. high doors and side lites are not available in every design. Consult with your Pollard Sales Representative for availability and sizing.

Liberty Masonry Opening
Width - add ½" to OSM
Height - add ¼" to OSM

Ultraprime Masonry Opening
Width - add 2¾" to OSM
Height - add 1⅜" to OSM

When ordering doors, note:
Hinging of door is always determined as viewed from outside.



DOOR OPTIONS

Brickmold
Vinyl brickmold is available as an option for Vinyl Clad doors. It is available in four standard colors Silversand, Pearl White, Autumn Ivory and Sable to coordinate with your choice of windows.

Sill Protector
Optional sill protector is available to shield door sills during construction. Constructed of 1/16" vinyl, the protector snaps on tightly to prevent dents and scratches that may occur on the job site.

Executive Panels
For a more dramatic look add executive panels to your Steel Door System. The panels accentuate the embossing on the door.

Black Sill
Optional black sill and matching weatherstrip can compliment darker door finishes.



Hinges
All door systems come standard with durable galvanized zinc hinges. Optional brass hinges are available to match other brass accents in your home. Self closing hinges are also available.

Multipoint Hardware
Fiberglass doors are available with multipoint hardware. Offered in antique brass, polished brass, oil rubbed bronze and satin nickel for any decor.

Vinyl Clad Exterior Colors
Available in four standard colors Silversand, Pearl White, Autumn Ivory and Sable to coordinate with your choice of windows. Or choose from a variety of custom colors.

Product Type	FRAME		DOOR MATERIAL			SLAB FINISH		EMBOSSED EXECUTIVE PANELS	GLAZING			DOOR LITE GRILL DESIGNS				JAMB WIDTH			DEADBOLT DRILL		ACCESSORIES			MULTIPOINT HARDWARE**				STANDARD HINGES				DOOR VIEWER	
	Vinyl Clad	Paintgrade Wood	Steel	Fiberglass Smooth	Fiberglass Textured	Prefinished (Exterior Only)	Primed	Steel Only	NC	SB10 - Energy Star	Decorative	Colonial	Muskoka	Prairie	Decorative	4 5/8"	6 5/8"	7 1/8"	1 5/8" Bore	2 1/8" Bore	1 1/8 Brickmold *	3 1/2 Brickmold *	Sill Protector	Satin Nickel	Polished Brass	Oil Rubbed Bronze	Antique Bronze	Standard Zinc	Polished Brass	Self Closing Hinges	Flush Bolts	Satin Chrome
Single Door	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●
Double Door	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●
Terrace Door (double door & screen)	●		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●

Standard Grills are 5/8" Aluminum between the glass. * Vinyl brickmold available on vinyl frames only. Paintgrade wood frames come standard with 1 1/8" wood brickmold.
** Includes handle set & hinges. Only available on fiberglass doors.

COMBINE BEAUTY, FUNCTION AND SECURITY WITH THESE SPECIALTY DOORS

TERRACE DOORS

ADVANTAGE VISTADOR PATIO DOORS

At Pollard, we have many versatile door types to meet all your needs. Terrace Doors are a terrific choice for patios, decks, porches or walkouts. Sliding patio doors are great for efficient use of space and are available in either all vinyl or vinyl clad wood. And, the FrenchClad Doors always add beauty and warmth of natural wood to any home interior.

LIBERTY VISTADOR PATIO DOORS

FRENCHCLAD WOOD DOORS

Our 300,000 sq.ft. manufacturing plant

Head Office
1217 King Road,
P.O. Box 507
Burlington, ON
L7R 3Y3 Canada
Tel: (905) 634-2365
1(800) 263-6616
Fax: (905) 333-3521

US Office
2728 Niagara Falls Blvd.
Niagara Falls, NY
14304 U.S.A.
Tel: (716) 634-0037
1(800) 846-4746
Fax: (716) 695-1918

Display Centers

Burlington
1217 King Road
Burlington, ON L7R 3Y3
Tel: (905) 633-7444
Fax: (905) 633-7666

Toronto
3200 Dufferin Street
Toronto, ON M6A 3B2
Tel: (416) 696-6716
Fax: (416) 696-6718

For a list of Distributors, visit our website at www.pollardwindows.com

POLLARD WINDOWS & DOORS EST 1948

Pollard's industry leading warranty

Our commitment to our customers extends to our warranty, considered to be among the best in the business. We offer a solid manufacturer's warranty on parts, a non-prorated warranty on insulated glass units and a non-prorated warranty on all vinyl components. By concentrating on being the best - rather than the biggest - Pollard Windows has earned a reputation for superior quality and durability. Of all our accomplishments, our greatest satisfaction is the loyalty shown to us by many long standing customers. For more information on our warranties please log on to www.pollardwindows.com or contact your Pollard dealer.

Printed in Canada 02/19